



PROPOSED RULE MAKING

SR-102 (June 2004)

(Implements RCW 34.05.320)

Do NOT use for expedited rule making

Agency: State Board of Health

- ☒ Preproposal Statement of Inquiry was filed as WSR 02-03-137 ; or
☐ Expedited Rule Making--Proposed notice was filed as WSR _____ ; or
☐ Proposal is exempt under RCW 34.05.310(4).

- ☒ Original Notice
☐ Supplemental Notice to WSR _____
☐ Continuance of WSR _____

Title of rule and other identifying information: (Describe Subject) Chapter 246-272A WAC- Onsite Sewage Systems

This chapter contains the design, installation and operation requirements for onsite sewage systems handling 3,500 gallons per day and under; specific criteria for proprietary product registration, and direction to local health jurisdictions to develop an onsite sewage system management plan.

Hearing location(s):

Department of Health
Point Plaza East
310 Israel Road SE
Tumwater, WA
Rooms 152/153

Submit written comments to:

Name: Kelly Cooper
Address: P.O. Box 47820
Olympia, WA 98504
e-mail: <http://www3.doh.wa.gov/policyreview/>
fax: (360)236-2250 by (date) February 18, 2005

Date: March 9, 2005 Time: 1:30 p.m.

Assistance for persons with disabilities: Contact

Kelly Cooper by February 18, 2005

TTY (800) 833-6388 or () _____

Date of intended adoption: March 9, 2005

(Note: This is NOT the effective date)

Purpose of the proposal and its anticipated effects, including any changes in existing rules:

The proposal repeals chapter 246-272 WAC- On-Site Sewage Systems. Most of the chapter has been revised and rewritten as chapter 246-272A WAC Onsite Sewage Systems. See attachment

The proposal is intended to protect public health by updating the design, installation and operation requirements for onsite sewage systems. These changes are based on new understanding of the technology that has emerged since the last rule revision effective in 1995.

The proposal moves the specific criteria for registering the various types of products and technologies from guidance to rule.

It also requires local health jurisdictions to write an onsite sewage management plan. High-risk (marine shoreline) counties are required to complete a more extensive plan

Statutory authority for adoption: RCW 43.20.050

Statute being implemented: RCW 43.20.050

Is rule necessary because of a:

- Federal Law?
Federal Court Decision?
State Court Decision?

- ☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No

If yes, CITATION:

DATE

1/4/05

NAME (type or print)

Craig McLaughlin

SIGNATURE

TITLE

Executive Director

CODE REVISER USE ONLY

726
05-02-082

(COMPLETE REVERSE SIDE)

Agency comments or recommendation if any, as to statutory language, implementation, enforcement, and fiscal matters:

None

Name of proponent: (person or organization) State Board of Health and Department of Health

☐ Private
☐ Public
☒ Governmental

Name of agency personnel responsible for:

	Name	Office Location	Phone
Drafting.....	Kelly Cooper	7171 Cleanwater Lane, Bldg 3, Tumwater WA 98504	(360) 236-3012
Implementation.....	Maryanne Guichard	7171 Cleanwater Lane, Bldg 4, Tumwater WA 98504	(360) 236-3391
Enforcement.....	Maryanne Guichard	7171 Cleanwater Lane, Bldg 4, Tumwater WA 98504	(360) 236-3391

Has a small business economic impact statement been prepared under chapter 19.85 RCW?

☒ Yes. Attach copy of small business economic impact statement.

A copy of the statement may be obtained by contacting:

Name: Kelly Cooper
Address: P.O. Box 47820
Olympia, WA 98504

phone (360) 236-3012
fax (360) 236-2250
e-mail kelly.cooper@doh.wa.gov

☐ No. Explain why no statement was prepared.

Is a cost-benefit analysis required under RCW 34.05.328?

☒ Yes A preliminary cost-benefit analysis may be obtained by contacting:

Name: Same as above
Address:

phone () _____
fax () _____
e-mail _____

☐ No: Please explain: